


2015 Latest Microsoft 70-516 Exam Questions Provided By Braindump2go For Free Download (51-60)

MICROSOFT NEWS: 70-516 Exam Questions has been Updated Today! Get Latest 70-516 VCE and 70-516 PDF Instantly! Welcome to Download the Newest Braindump2go 70-516 VCE&70-516 PDF Dumps:

<http://www.braindump2go.com/70-516.html> (286 Q&As) 2015 Microsoft 70-516 Certification Exam is coming! Getting a Latest 70-516 Practice Test is very important for an Exam Candidate! Braindump2go New Updated 70-516 Exam Questions Well Formatted in PDF and VCE versions, providing you convenience and excellence both at the same time! Free Questions and Answer are provided Following: Exam Code: 70-516 Exam Name: TS: Accessing Data with Microsoft .NET Framework 4 Certification Provider: Microsoft Corresponding Certifications: MCPD, MCPD: Web Developer 4, MCPD: Windows Developer 4, MCTS, MCTS: Microsoft .NET Framework 4, Data Access [70-516 Dumps](#), [70-516 Dumps PDF](#), [70-516 Exam PDF](#), [70-516 Book](#), [70-516 Study Guide](#), [70-516 eBook](#), [70-516 eBook PDF](#), [70-516 Exam Questions](#), [70-516 Training Kit](#), [70-516 PDF](#), [70-516 Microsoft Exam](#), [70-516 VCE](#), [70-516 Braindump](#), [70-516 Braindumps PDF](#), [70-516 Braindumps Free](#), [70-516 Practice Test](#), [70-516 Practice Exam](#), [70-516 Preparation](#), [70-516 Preparation Materials](#), [70-516 Practice Questions](#)

TS: Accessing Data with Microsoft .NET Framework 4: 70-516



Product Description Exam Number/Code: 70-516

Exam Number/Code: 70-516

"TS: Accessing Data with Microsoft .NET Framework 4", also known as 70-516 exam, is a Microsoft Certification. With the complete collection of questions and answers, Braindump2go has assembled to take you through 286 Q&As to your 70-516 Exam preparation. In the 70-516 exam resources, you will cover every field and category in Microsoft MCPD helping to prepare for your successful Microsoft Certification.

Free Demo Download

Braindump2go offers free demo for 70-516 exam (TS: Accessing Data with Microsoft .NET Framework 4). You can check out the interface, question quality and usability of our practice exams before you decide to buy it.

☒ **Printable PDF** ☒ **Premium VCE + VCE Simulator**

Questions and Answers : 286
Q&As
Updated: Nov 22, 2015
~~\$429.99~~ **\$99.99**

[PDF DEMO](#)

[CHECK OUT](#)

QUESTION 51 You use Microsoft Visual Studio 2010 and Microsoft .NET Framework 4.0 to create a Windows Communication Foundation (WCF) Data Services service. WCF Data Services uses an authentication scheme that requires an HTTP request that has the following header format: GET /Odata.svc/Products(1) Authorization: WRAP access_token=?123456789? The application includes the following code. (Line numbers are included for reference only.)

```
01 public class program
02 {
03     Public void GetProducts()
04     {
05         var proxy = new MyDataServiceContext("...");
06         ...
07     }
08 }
```

You need to ensure that the correct authentication header is present when requests are made by using MyDataServiceContext. What should you do?

A. Insert the following code segment at line 06: Proxy.Credentials = new NetworkCredential(?WRAP access_token?, ?123456789?);

B. Insert the following code segment at line 06: Proxy.Credentials = new NetworkCredential(?Authorization?, ?WRAP access_token=?123456789??);

C. Insert the following code segment at line 06: Proxy.SendingRequest += new EventHandler<SendingRequestEventArgs>(proxy_SendingRequest); Insert the following code segment at line 09: void proxy_SendingRequest(object sender, SendingRequestEventArgs e){ e.RequestsHeaders.Add(?WRAP access_token?, ?123456789?); }

D. Insert the following code segment at line 06: Proxy.SendingRequest += new EventHandler<SendingRequestEventArgs>(proxy_SendingRequest); Insert the following code segment at line 09: void proxy_SendingRequest(object sender, SendingRequestEventArgs e){ RequestsHeaders.Add(?Authorization?, ?WRAP access_token?, ?123456789?); }

Answer: D

QUESTION 52 You use Microsoft Visual Studio 2010 and Microsoft .NET Framework 4.0 to create a Windows Communication Foundation (WCF) Data Services service. The solution contains the projects shown in the following table. The WCF data service exposes an Entity Framework model. You need to Access the service by using a WCF Data Services client. What should you do in the Application.Client Project?

A. Add a reference to the Application.Model Project.

B. Add a reference to the Application.Service Project.

C. Add a service reference that uses the URL of the WCF data service.

D. Add a web reference that uses the URL of the WCF data service.

Answer: C

QUESTION 53 You use Microsoft Visual Studio 2010 and Microsoft .NET Framework 4.0 to create an application. The application contains the following XML document:

```
<bib>
<book title="TCP/IP Illustrated" year="1994">
<author>Author1</author>
</book>
<book title="Programming in UNIX"
year="1992">
<author>Author1</author>
<author>Author2</author>
<author>Author3</author>
</book>
<book title="Data on the
```

web" year="2000"><author>Author4</author><author>Author3</author></book></bib>You add the following code fragment. (Line numbers are included for reference only.)01 public IEnumerable<XElement> GetBooks(string xml)02 {03 XDocument doc = XDocument.Parse(xml);04 ...05 } You need to return a list of book XML element that are authored by Author1. Which code segment should you insert at line 04? A. return doc.Element("bib").Elements().SelectMany(e1 => e1.Elements().Where(e2 => e2.Equals(new XElement("author", "Author1")))); B. return doc.Element("bib").Elements().SelectMany(e1 => e1.Elements().Where(e2 => (string)e2 == "Author1")); C. return doc.Elements("bib").Elements().Where(e1 => e1.Elements().Any(e2 => (string)e2 == "Author1")); D. return doc.Elements("bib").Elements().Where(e1 => e1.Elements().Any(e2 => e2.Equals(new XElement("author", "Author1")))); Answer: C QUESTION 54 You use Microsoft Visual Studio 2010 and Microsoft .NET Framework 4.0 to create an application. The application connects to a Microsoft SQL Server 2008 database. You add the following store procedure to the database. CREATE PROCEDURE GetProducts AS BEGIN SELECT ProductID, Name, Price, Cost FROM Product END You create a SqlDataAdapter named adapter to execute the stored procedure. You need to fill a DataTable instance with the first 10 rows of the result set. What are two possible code segments that you can use to achieve the goal? A. DataSet ds = new DataSet(); adapter.Fill(ds, 0, 10, "Product"); B. DataSet ds = new DataSet(); DataTable dt = ds.Tables.Add("Product"); adapter.Fill(0, 10, dt); C. DataSet ds = new DataSet(); DataTable dt = ds.Tables.Add("Product"); dt.ExtendedProperties["RowCount"] = 10; dt.ExtendedProperties["RowIndex"] = 0; adapter.Fill(dt); D. DataSet ds = new DataSet(); ds.ExtendedProperties["RowCount"] = 10; ds.ExtendedProperties["RowIndex"] = 0; adapter.Fill(ds); Answer: AB Explanation: Fill(Int32, Int32, DataTable()) Adds or refreshes rows in a DataTable to match those in the data source starting at the specified record and retrieving up to the specified maximum number of records. (Inherited from DbDataAdapter.) Fill(DataSet, Int32, Int32, String) Adds or refreshes rows in a specified range in the DataSet to match those in the data source using the DataSet and DataTable names. (Inherited from DbDataAdapter.) SqlDataAdapter Class (<http://msdn.microsoft.com/en-us/library/system.data.sqlclient.sqldataadapter.aspx>) DataTable.ExtendedProperties Gets the collection of customized user information. QUESTION 55 You use Microsoft Visual Studio 2010 and Microsoft .NET Framework 4.0 to create an application. The application retrieves data from Microsoft SQL Server 2008 database named AdventureWorks. The AdventureWorks.dbo.ProductDetails table contains a column names ProductImages that uses a varbinary(max) data type. You write the following code segment. (Line numbers are included for reference only.)01 SqlDataReader reader = command.ExecuteReader(--empty phrase here --);02 while(reader.Read())03 {04 pubID = reader.GetString(0);05 stream = new FileStream(...);06 writer = new BinaryWriter(stream);07 startIndex = 0;08 retval = reader.GetBytes(1, startIndex, outByte, 0, bufferSize);09 while(retval == bufferSize)10 {11 ...12 }13 writer.Write(outbyte, 0, (int)retval-1);14 writer.Flush();15 writer.Close();16 stream.Close();17 } You need to ensure that the code supports streaming data from the ProductImages column. Which code segment should you insert at the empty phrase in line 01? A. CommandBehavior.Default B. CommandBehavior.KeyInfo C. CommandBehavior.SingleResult D. CommandBehavior.SequentialAccess Answer: D Explanation: Default The query may return multiple result sets. Execution of the query may affect the database state. Default sets no CommandBehavior flags, so calling ExecuteReader(CommandBehavior.Default) is functionally equivalent to calling ExecuteReader(). KeyInfo The query returns column and primary key information. When KeyInfo is used for command execution, the provider will append extra columns to the result set for existing primary key and timestamp columns. SingleResult The query returns a single result set. SequentialAccess Provides a way for the DataReader to handle rows that contain columns with large binary values. Rather than loading the entire row, SequentialAccess enables the DataReader to load data as a stream. You can then use the GetBytes or GetChars method to specify a byte location to start the read operation, and a limited buffer size for the data being returned. CommandBehavior Enumeration (<http://msdn.microsoft.com/en-us/library/system.data.commandbehavior.aspx>) QUESTION 56 You use Microsoft Visual Studio 2010 and Microsoft .NET Framework 4.0 to develop an application that connects to a Microsoft SQL Server 2008 database. The application performs a database query within a transaction. You need to ensure that the application can read data that has not yet been committed by other transactions. Which IsolationLevel should you use? A. ReadUncommitted B. ReadCommitted C. RepeatableRead D. Unspecified Answer: A Explanation: Unspecified A different isolation level than the one specified is being used, but the level cannot be determined. When using OdbcTransaction, if you do not set IsolationLevel or you set IsolationLevel to Unspecified, the transaction executes according to the isolation level that is determined by the driver that is being used. Chaos The pending changes from more highly isolated transactions cannot be overwritten. ReadUncommitted A dirty read is possible, meaning that no shared locks are issued and no exclusive locks are honored. ReadCommitted Shared locks are held while the data is being read to avoid dirty reads, but the data can be changed before the end of the transaction, resulting in non-repeatable reads or phantom data. RepeatableRead Locks are placed on all data that is used in a query, preventing other users from updating the data. Prevents non-repeatable reads but phantom rows are still possible. Serializable

A range lock is placed on the DataSet, preventing other users from updating or inserting rows into the dataset until the transaction is complete. Snapshot Reduces blocking by storing a version of data that one application can read while another is modifying the same data. Indicates that from one transaction you cannot see changes made in other transactions, even if you query. IsolationLevel Enumeration(<http://msdn.microsoft.com/en-us/library/system.data.isolationlevel.aspx>) Isolation Levels in Database Engine(<http://msdn.microsoft.com/en-us/library/ms189122.aspx>) SET TRANSACTION ISOLATION LEVEL (Transact-SQL)(<http://msdn.microsoft.com/ru-ru/library/ms173763.aspx>)

QUESTION 57 You use Microsoft Visual Studio 2010 and Microsoft .NET Framework 4.0 to develop an application that connects to a Microsoft SQL Server 2008 database. The application includes a SqlConnection named conn and a SqlCommand named cmd. You need to create a transaction so that database changes will be reverted in the event that an exception is thrown. Which code segment should you use?

A. var transaction = conn.BeginTransaction(); cmd.Transaction = transaction; try { ... transaction.Commit(); } catch { transaction.Rollback(); }

B. var transaction = conn.BeginTransaction(); cmd.Transaction = transaction; try { ... transaction.Commit(); } catch { transaction.Dispose(); }

C. var transaction = conn.BeginTransaction(); cmd.Transaction = transaction; try { ... } catch { transaction.Commit(); }

D. var transaction = conn.BeginTransaction(); cmd.Transaction = transaction; try { ... transaction.Rollback(); } catch { transaction.Dispose(); }

Answer: A

QUESTION 58 You use Microsoft Visual Studio 2010 and Microsoft .NET Framework 4.0 to create an application. You create a stored procedure to insert a new record in the Categories table according to following code segment.

```
CREATE PROCEDURE dbo.InsertCategory @CategoryName nvarchar(15), @Identity int OUT AS INSERT INTO Categories(CategoryName) VALUES (@CategoryName) SET @Identity = SCOPE_IDENTITY() RETURN @@ROWCOUNT
```

You add the following code fragment. (Line numbers are included for reference only.)

```
01 private static void ReturnIdentity(string connectionString)
02 {
03     using(SqlConnection connection = new SqlConnection(connectionString))
04     {
05         SqlDataAdapter adapter = new SqlDataAdapter("SELECT CategoryID, CategoryName FROM dbo.Categories", connection);
06         adapter.InsertCommand = new SqlCommand("InsertCategory", connection);
07         adapter.InsertCommand.CommandType = CommandType.StoredProcedure;
08         SqlParameter rowcountParameter = adapter.InsertCommand.Parameters.Add("@RowCount", SqlDbType.Int);
09         ...
10         adapter.InsertCommand.Parameters.Add("@CategoryName", SqlDbType.NChar, 15, "CategoryName");
11         SqlParameter identityParameter = adapter.InsertCommand.Parameters.Add("@Identity", SqlDbType.Int, 0, "CategoryID");
12         ...
13         DataTable categories = new DataTable();
14         adapter.Fill(categories);
15         DataRow categoryRow = categories.NewRow();
16         categoryRow["CategoryName"] = "New beverages";
17         categories.Rows.Add(categoryRow);
18         adapter.Update(categories);
19         Int32 rowCount = (Int32)adapter.InsertCommand.Parameters["@RowCount"].Value;
20     }
21 }
```

Which code elements needs to be added in the empty lines?

A. Insert the following code segment at line 09: rowcountParameter.Direction = ParameterDirection.ReturnValue; Insert the following code segment at line 12: identityParameter.Direction = ParameterDirection.ReturnValue;

B. Insert the following code segment at line 09: rowcountParameter.Direction = ParameterDirection.Output; Insert the following code segment at line 12: identityParameter.Direction = ParameterDirection.Output;

C. Insert the following code segment at line 09: rowcountParameter.Direction = ParameterDirection.ReturnValue; Insert the following code segment at line 12: identityParameter.Direction = ParameterDirection.Output;

D. Insert the following code segment at line 09: rowcountParameter.Direction = ParameterDirection.Output; Insert the following code segment at line 12: identityParameter.Direction = ParameterDirection.ReturnValue;

Answer: C

QUESTION 59 You use Microsoft Visual Studio 2010 and Microsoft .NET Framework 4.0 to develop an application that uses the EntityFramework. The application has an entity named Person. A Person instance named person1 and anObjectContext instance named model exist. You need to delete the person1 instance. Which code segment should you use?

A. model.DeleteObject(person1); model.SaveChanges();

B. model.Detach(person1); model.SaveChanges();

C. model.ExecuteStoreCommand("Delete", new [] { new ObjectParameter("Person", person1) }); model.SaveChanges();

D. model.ExecuteStoreCommand("Detach", new [] { new ObjectParameter("Person", person1) }); model.SaveChanges();

Answer: A

Explanation: ObjectContext.DeleteObject Marks an object for deletion from the ObjectStateManager. The object is deleted in the data source when the SaveChanges method is called. ObjectContext.ExecuteStoreCommand Method executes an arbitrary command directly against the data source using the existing connection.

QUESTION 60 You use Microsoft Visual Studio 2010 and Microsoft .NET Framework 4.0 to develop an application that connects to a MS SQL server 2008 database by User Authentication. The application contains the following connection string: SERVER=DBSERVER-01; DATABASE=pubs; uid=sa; pwd=secret; You need to ensure that the password value in the connection string property of a SqlConnection object does not exist after is called. What should you add to the connection string?

A. Persist Security Info = True

B. Trusted_Connection = True

C. Persist Security Info = False

D. Trusted_Connection = False

Answer: C

Explanation: The Persist Security Info property specifies whether the data source can persist sensitive authentication information such as a password. Persist Security Info Property([http://msdn.microsoft.com/en-us/library/aa214039\(v=sql.80\).aspx](http://msdn.microsoft.com/en-us/library/aa214039(v=sql.80).aspx)) For those who

feel the overwhelming anxiety before their 70-516 exam, Braindump2go Latest updated 70-516 Exam Dumps will help you Pass 100% in a short time preparation! 70-516 Exam Dumps PDF & VCE Full Version Instant Download!

TS: Accessing Data with Microso



Questions and Answers : 286
Q&As

Updated: Nov 22, 2015

~~\$129.99~~ **\$99.99**

PDF DEMO

▶ CHECK OUT

Product Description

Exam Number/Code: 7

TS: Accessing Data with M
Microsoft Certification. With
has assembled to take you
exam resources, you will co
for your successful Microso

[Free Demo Download](#)

Braindump2go offers free dumps for Java (JSP, Servlet, J2EE, Spring Framework 4). You can check out the quality of the dumps before you decide to purchase.

Printable PDF

FREE DOWNLOAD: NEW UPDATED 70-516 PDF Dumps & 70-516 VCE Dumps from Braindump2go:
<http://www.braindump2go.com/70-516.html> (286 Q&A)