

[2016.07 NEW] Braindump2go Cisco 400-101 PDF and 400-101 VCE Dumps 1119q Free Download[NQ1-NQ10]


2016.07.13 - Cisco Official News:400-101 CCIE Routing and Switching Written Exam 1119Q&As New Updated Today! Instant Free Download 400-101 PDF & 400-101 VCE from [Braindump2go.com](#)! 100% Exam Pass Guaranteed! NEW QUESTION 1070 - NEW QUESTION 1080:1. Braindump2go 2016.07 Cisco 400-101 CCIE Exam PDF and VCE 1119Q&As Dumps Download: <http://www.braindump2go.com/400-101.html> [100% Exam Pass Guaranteed! 2. Braindump2go 2016.07.13 Cisco 400-101 CCIE Exam Questions PDF Download: <https://drive.google.com/folderview?id=0B272WrTALRHcQ1VmTHBkOEFvV00&usp=sharing> QUESTION 1 Which two options are reasons for TCP starvation? (Choose two.) A. The use of tail drop B. The use of WRED C. Mixing TCP and UDP traffic in the same traffic class D. The use of TCP congestion control Answer: CD QUESTION 2 Which type of port would have root guard enabled on it? A. A root port B. An alternate port C. A blocked port D. A designated port Answer: D QUESTION 3 Refer to the exhibit. Which action will solve the error state of this interface when connecting a host behind a Cisco IP phone?

Braindump2go.com

A. Configure dot1x-port control auto on this interface B. Enable errdisable recovery for security violation errors C. Enable port security on this interface D. Configure multidomain authentication on this interface Answer: D QUESTION 4 Refer to the exhibit. While troubleshooting high CPU utilization of a Cisco Catalyst 4500 Series Switch, you notice the error message that is shown in the exhibit in the log file. What can be the cause of this issue, and how can it be prevented?

Braindump2go.com

A. The hardware routing table is full. Redistribute from BGP into IGP. B. The software routing table is full. Redistribute from BGP into IGP. C. The hardware routing table is full. Reduce the number of routes in the routing table. D. The software routing table is full. Reduce the number of routes in the routing table. Answer: C QUESTION 5 Refer to the exhibit. All switches have default bridge priorities, and originate BPDUs with MAC addresses as indicated. The numbers shown are STP link metrics. Which two ports are forwarding traffic after STP converges? (Choose two.)



A. The port connecting switch SWD with switch SWEB. The port connecting switch SWG with switch SWFC. The port connecting switch SWC with switch SWED. The port connecting switch SWB with switch SWC Answer: CD QUESTION 6 Refer to the exhibit. While troubleshooting high CPU utilization on one of your Cisco Catalyst switches, you find that the issue is due to excessive flooding that is caused by STP. What can you do to prevent this issue from happening again?

switch#show spanning-tree detail
MST0 is executing the mstp compatible Spanning Tree protocol
Bridge Identifier has priority 32768, sysid 0, address f4
...
Topology change flag not set, detected flag not set
Number of topology changes 294 last change occurred 00:01
from GigabitEthernet0/15

A. Disable STP completely on the switch. B. Change the STP version to RSTP. C. Configure PortFast on port-channel 1.D.

Configure UplinkFast on the switch.E. Configure PortFast on interface Gi0/15. Answer: E QUESTION 7Refer to the exhibit. Which three statements about the output are true? (Choose three.)

```
Switch# show ip igmp snooping mrouter
Vlan    ports
10      Gi2/0/1(dynamic), Router
20      Gi2/0/1(dynamic), Router
```

A. An mrouter port can be learned by receiving a PIM hello packet from a multicast router.B. This switch is configured as a multicast router.C. Gi2/0/1 is a trunk link that connects to a multicast router.D. An mrouter port is learned when a multicast data stream is received on that port from a multicast router.E. This switch is not configured as a multicast router. It is configured only for IGMP snooping.F. IGMP reports are received only on Gi2/0/1 and are never transmitted out Gi2/0/1 for VLANs 10 and 20.

Answer: ABC QUESTION 8Refer to the exhibit. If a port is configured as shown and receives an untagged frame, of which VLAN will the untagged frame be a member?

```
Switch#show int fastEthernet0/1 switchport
Name: Fa0/1
Switchport: Enabled
Administrative Mode: dynamic auto
Operational Mode: static access
Administrative Trunking Encapsulation: dot1q
Operational Trunking Encapsulation: native
Negotiation of Trunking: On
Access Mode VLAN: 2 (VLAN0002)
Trunking Native Mode VLAN: 3 (VLAN0003)
Administrative Native VLAN tagging: enabled
Voice VLAN: none
Administrative private-vlan host-association: none
Administrative private-vlan mapping: none
Administrative private-vlan trunk native VLAN tagging: enabled
Administrative private-vlan trunk encapsulation: dot1q
Administrative private-vlan trunk normal VLANs: none
Administrative private-vlan trunk private VLANs: none
Operational private-vlan: none
Trunking VLANs Enabled: ALL
Pruning VLANs Enabled: 2-1001
Capture Mode Disabled
Capture VLANs Allowed: ALL

Protected: false
Unknown unicast blocked: disabled
Unknown multicast blocked: disabled
Appliance trust: none
```


A. VLAN 1B. VLAN 2C. VLAN 3D. VLAN 4 Answer: B QUESTION 9Refer to the exhibit. Which statement describes the effect on the network if FastEthernet0/1 goes down temporarily?

```
Switch#show interfaces switchport backup detail
Switch Backup Interface Pairs:

Active Interface      Backup Interface      State
-----
FastEthernet0/1      FastEthernet0/2      Standby

Interface Pair : Fa0/1, Fa0/2
Preemption Mode : off
Bandwidth : 100000 Kbit (Fa0/1), 10000 Kbit (Fa0/2)
Mac Address Move Update Vlan : auto
```

A. FastEthernet0/2 forwards traffic only until FastEthernet0/1 comes back up.B. FastEthernet0/2 stops forwarding traffic until FastEthernet0/1 comes back up.C. FastEthernet0/2 forwards traffic indefinitely.D. FastEthernet0/1 goes into standby. Answer: C QUESTION 10Refer to the exhibit. Routers R1, R2, and R3 are configured as shown, and traffic from R2 fails to reach 172.29.168.3.Which action can you take to correct the problem?



A. Correct the static route on R1.B. Correct the default route on R2.C. Edit the EIGRP configuration of R3 to enable auto-summary.D. Correct the network statement for 172.29.168.3 on R3. Answer: A !!!RECOMMEND!!! 2016.07

Braindump2go Latest Cisco 400-101 Exam PDF and VCE 1119Q&As Instant Download:

<http://www.braindump2go.com/400-101.html> [100% Real Questions Guaranteed!] Cisco 400-101 Exam Questions PDF - Google

Drive: <https://drive.google.com/folderview?id=0BwwEERkugSaLbUR5WjhsemNKY00&usp=sharing>

<https://drive.google.com/folderview?id=0B75b5xYLjSSNdmdKVDE2WUw4VGM&usp=sharing>