

New Updated Version: Free Microsoft 70-332 Dumps From Braindump2go 100% Guarantee Your Success (1-10)

Instant Download 70-332 PDF Files! New Updated 180 Exam Questions and Answers help 100% Exam Pass! 70-332 Certification Get Quickly! Vendor: Microsoft Exam Code: 70-332 Exam Name: Microsoft Advanced Solutions of Microsoft SharePoint Server 2013
Keywords: 70-332 Exam Dumps,70-332 Practice Tests,70-332 Practice Exams,70-332 Exam Questions,70-332 PDF,70-332 VCE Free,70-332 Book,70-332 E-Book,70-332 Study Guide,70-332 Braindump,70-332 Prep Guide

Compared Before Buying

Pass4sure	Braindump2go
173 Q&As - Practice	180 Q&As - Practice
\$124.99	\$99.99
No Discount	Coupon

QUESTION 1 You are configuring SharePoint 2013 to support business intelligence. You need to install PowerPivot for SharePoint. What should you do? A. Download and install PowerPivot for SharePoint from the PowerPivot SQL Server 2008 R2 SP1 Feature Pack webpage. B. Run the SQL Server 2008 setup package. C. Download and install PowerPivot for SharePoint from the PowerPivot SQL Server 2012 Feature Pack webpage. D. Download and install PowerPivot for SharePoint from the PowerPivot SQL Server 2012 SP1 Feature Pack webpage. Answer: D

QUESTION 2 You are configuring a SharePoint farm. You have the following requirements: - Implement an enterprise resource pool. - Enable tasks to be assigned to users. - Implement a resource breakdown structure. You need to implement a solution that meets the requirements. What should you do? A. Create a SharePoint team site. B. Provision a Microsoft Project web app. C. Create a SharePoint task list. D. Import a Microsoft Excel spreadsheet as a custom list. Answer: B

QUESTION 3 You are implementing a claims-based authentication solution for a SharePoint farm in an Active Directory Domain Services domain. You install and configure Active Directory Federation Services (AD FS). You need to ensure that all web applications in the farm support SAML-based claims authentication. What should you do? (Each correct answer presents part of the solution. Choose all that apply.) A. Configure AD FS with the web application as a relying party. B. Configure web applications to use forms-based authentication and AD FS as the trusted identity provider. C. Configure web applications to use claims-based authentication and AD FS as the trusted identity provider. D. Configure web applications to use classic mode authentication and AD FS as the trusted identity provider. E. Configure SharePoint to trust AD FS as an identity provider. Answer: ACE

Explanation: Configure SAML-based claims authentication with AD FS in SharePoint 2013. This configuration has the following phases that must be performed in consecutive order: Phase 1: Install and configure an AD FS server (A) Phase 2: Configure AD FS with the web application as a relying party (E) Phase 3: Configure SharePoint 2013 to trust AD FS as an identity provider (C) Phase 4: Configure web applications to use claims-based authentication and AD FS as the trusted identity provider Reference: Configure SAML-based claims authentication with AD FS in SharePoint 2013

QUESTION 4 You are moving a customized SharePoint site collection to a new farm. You attach and mount the source content database in the destination farm. You need to ensure that all customizations from the source farm are available in the destination farm. What should you do? A. Install all custom applications in the destination farm. B. Copy all custom master pages from the source site collection to the Style Library in the destination site collection. C. Copy all SharePoint groups and users from the source farm to the destination farm. D. Copy all custom master pages from the source site collection to the master page gallery in the destination site collection. Answer: A

QUESTION 5 An organization upgrades a SharePoint 2010 environment to SharePoint 2013. A site collection is running in SharePoint 2010 compatibility mode. You must verify that the following features will function correctly when the site collection is upgraded to SharePoint 2013 native mode: - List views - Custom web parts - Content query web parts - Subsites You need to ensure that you can perform verification testing without impacting the current user experience. What should you do? A. Upgrade the site collection to SharePoint 2013. B. Perform a database attach upgrade. C. Enable the Visual Upgrade option for the site collection. D. Generate an upgrade evaluation site collection. Answer: D

QUESTION 6 Drag and

Drop Question A company plans to upgrade from a SharePoint Server 2010 farm to a SharePoint Server 2013 farm. You plan to install components that are required on the new farm before upgrading. You need to identify the customizations that must be installed on the new farm. Which command should you run? (To answer, drag the appropriate command and switch to the correct locations in the answer area.)

-o enumallwebs

-o enumdeployments

-o enumcontentdatabases

psconfig.exe

Get-SPContentDatabase

stsadm.exe

Answer Area

-includewebparts

-includefeatures

Answer: -o enumallwebs; -o enumdeployments; -o enumcontentdatabases; psconfig.exe; Get-SPContentDatabase; stsadm.exe

-o enumallwebs

-o enumdeployments

-o enumcontentdatabases

psconfig.exe

Get-SPContentDatabase

stsadm.exe

Answer Area

stsadm.exe

-o enumallwebs

-includewebparts

-includefeatures

Explanation: Identify all server-side customizations and install them before you upgrade One common error during upgrade is missing server-side files -- either files that were installed with SharePoint 2010 Products or customized files. When you prepared for upgrade, you should have created an inventory of the server-side customizations (such as site definitions, templates, features, Web Parts, assemblies) that your sites required. Check this inventory to make sure that all the files that are needed for your customizations are installed in your new environment. You can use the enumallwebs operation in Stsadm.exe to identify server-side customizations that are being used. QUESTION 7 Drag and Drop Question An organization migrates a SharePoint environment from SharePoint 2010 to SharePoint 2013. The organization has a web application at <http://intranet.contoso.com>. A corporate governance policy states that users of the web application must be able to create sites only with a compatibility level of SharePoint 2013. You need to implement the governance policy. Which three Windows PowerShell cmdlets should you run in sequence? (To answer, move the appropriate cmdlets from the list of cmdlets to the answer area and arrange them in the correct order.)

\$wa.Validate()

\$wa.Update()

\$wa.CompatibilityRange = [Microsoft.SharePoint.SPCompatibilityRange]::SP13

\$wa = Get-SPWebApplication http://intranet.contoso.com

\$wa.CompatibilityRange = [Microsoft.SharePoint.SPCompatibilityRange]::AllVersions

Answer Area

Answer: \$wa.Validate(); \$wa.Update(); \$wa.CompatibilityRange = [Microsoft.SharePoint.SPCompatibilityRange]::AllVersions

\$wa.Validate()

\$wa.Update()

\$wa.CompatibilityRange = [Microsoft.SharePoint.SPCompatibilityRange]::SP13

\$wa = Get-SPWebApplication http://intranet.contoso.com

\$wa.CompatibilityRange = [Microsoft.SharePoint.SPCompatibilityRange]::AllVersions

Answer Area


\$wa = Get-SPWebApplication http://intranet.contoso.com

\$wa.CompatibilityRange = [Microsoft.SharePoint.SPCompatibilityRange]::SP13

\$wa.Update()

Explanation: * RangeName is one of the following values: OldVersions, NewVersion, AllVersions. Here we must NewVersion as "the web application must be able to create sites only with a compatibility level of SharePoint 2013". * The last step is to validate. * At the Windows PowerShell command prompt, type the following command to change the compatibility range settings to a specific range: \$wa=Get-SPWebApplication <URL> # Stores the web application at that URL as a variable \$wa.CompatibilityRange = [Microsoft.SharePoint.SPCompatibilityRange]::<RangeName> # Specifies which range to use \$wa.Update() # Updates the CompatibilityRange setting to use only the range you specified \$wa.CompatibilityRange # Returns the new CompatibilityRange for the web application Where: <URL> is URL for the web application that you want to change. RangeName is one of the following values: OldVersions, NewVersion, AllVersions. Reference: To change compatibility range for site creation modes for a web application by using Windows PowerShell

QUESTION 8 A SharePoint 2010 environment contains a Microsoft SQL Server 2008 R2 database instance named SP-SQL that hosts the databases for the farm. You are upgrading the farm to SharePoint 2013. You need to ensure that users can access the unmodified farm contents during the upgrade process. What should you do? A. In SQL Server Management Studio, locate the SQL Server instance containing the content databases and service application databases you plan to upgrade. Set the Instance Read-Only value to True. B. Run the following Transact-SQL (T-SQL) statement for each content database and service application you plan to upgrade. ALTER DATABASE <database name>SET READ_ONLY; C. Run the following command-line tool for each site collection in the content databases you plan to upgrade. Stsadm -o setsitelock -urKsite collection name> -lock readonly D. Sign in to Central Administration in the SharePoint 2010 environment you plan to upgrade. Set each content database and service application database to Read-Only. Answer: B Explanation: Set the previous version databases to be read-only If you want your original environment to remain available to users in a read-only state, set the databases to read-only before you back them up. Complete this step for each content database in your environment. Depending on your organization, you might need a database administrator to complete this step. Incorrect: Not A: The content databases, not the server instance, should be set to Read-only. Note: * To set content databases to be read-only 1. Verify that you have the following administrative credentials: You must be a member of the db_ownerfixed database role in each database. 2. Open SQL Server Management Studio. 3. Right-click the content database that you want to change to read-only, and then click Properties. 4. Select the Options page, and, in the Other options list, scroll to the State section. 5. In the Database Read-Only row, click the arrow next to False, select True, and then click OK. 6. Repeat for all other content databases. * A farm is considered to be read-only if any of the following are true: /All content databases are set to read-only. /Service application databases are set to read-only. QUESTION 9 Drag and Drop Question You are preparing to upgrade from a SharePoint 2010 environment to a SharePoint 2013 environment. The SharePoint 2010 environment includes a large number of content databases. You restore backups of the content databases to the Microsoft SQL Server instance in the SharePoint 2013 environment. You need to upgrade all content databases and minimize monitoring requirements. What should you do? (To answer, drag the appropriate terms to the correct location or locations in the answer area. Each term may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.)



Answer:



Explanation: * To attach a content database to a web application by using Windows PowerShell Start the SharePoint 2013 Management Shell. At the Windows PowerShell command prompt, type the following command and then press ENTER: Mount-SPContentDatabase -Name DatabaseName -DatabaseServer ServerName - WebApplication URL * Attach the remaining databases (no need to wait until first command finishes and use new instance) After you restore the first content database and verify success, you can continue to restore and upgrade other databases. You can perform parallel database attach upgrades to

upgrade more than one database at a time. Use separate Command Prompt windows (i.e new instance) to run multiple upgrades. It is recommended that you separate the start time for each new database upgrade session by several minutes to prevent issues with temporary locks set for the web application during attachment. Otherwise you might receive an error on the upgrade session. The wait time to clear temporary locks varies depending on the number of site collections, or the speed of the database server hardware. Reference: Upgrade content databases to SharePoint QUESTION 10 Drag and Drop Question An organization plans to deploy Microsoft Project Server 2013. You need to install and configure Project Server in an existing SharePoint farm. Which four actions should you perform in sequence? (To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.)



Answer:



Explanation: * (step 1) If you already installed and configured SharePoint Server 2013 and you would like to try out Project Server 2013 features there's no need to install another SharePoint server. You can simply integrate between Project Server 2013 and SharePoint Server 2013 using an existing site collection. Project Server 2013 runs as a service application under SharePoint Server 2013. In order to integrate between those products, Project Server 2013 must be installed on each application server in your SharePoint farm. Reference: Add an application server to a farm in Project Server 2013 * (step 2) First thing that has to be done after installing Project Server 2013 is to run the SharePoint Products Configuration Wizard. The wizard has to run on all application servers in your farm before you can start using Project Server. * (step 3) Start the Project Server Application Service. Create a Project Server service application. Open SharePoint 2013 Central Administration -> Application Management -> Manage service applications -> New -> Project Server Service Application. Specify a name for the service application and choose an application pool. * (step 4) Create a Project Web App database. Open the SharePoint 2013 Management Shell and Use the following PowerShell cmdlet: New-SPProjectDatabase -Name DatabaseName -ServiceApplication "ServiceApplicationName" -DatabaseServer SQLServerInstance -Tag String. For example: New-SPProjectDatabase -Name ProjectWebApp1 -ServiceApplication "ProjectServiceApp" -DatabaseServer sp2013srv -Tag "ProjectWebApp1DB" Reference: How to integrate Project Server 2013 with SharePoint Server 2013 Braindump2go Guarantee: Pass-Certification 70-332 offers absolute risk free investment opportunity, values your time and money! Braindump2go latest 70-332 Real Exam Dumps - Your success in 70-332 Exam is certain! Your belief in our 70-332 Exam Dumps is further strengthened with 100% Money Back Promise from Braindump2go!

Compared Before Buying Microsoft 70-332 PDF & VCE!		
Pass4sure	Braindump2go	Test King
	100% Pass OR Money Back	
173 Q&As - Practice	180 Q&As – Real Questions	157 Q&As - Practice
\$124.99	\$99.99	971 HKD
No Discount	Coupon Code: BDNT2014	No Discount

<http://www.braindump2go.com/70-332.html>