

Braindump2go 2015 100% Real 70-533 Exam Questions Guaranteed from Microsoft Official (81-90)

Quick and Effective Microsoft 70-533 Exam Preparation Options - Braindump2go new released 70-533 Exam Dumps Questions! Microsoft Official 70-533 relevant practice tests are available for Instant downloading at Braindump2go! PDF and VCE Formates, easy to use and install! 100% Success Achievement Guaranteed! Vendor: Microsoft Exam Code: 70-533 Exam Name: Implementing Microsoft Azure Infrastructure Solutions Keywords: 70-533 Exam Dumps, 70-533 Practice Tests, 70-533 Practice Exams, 70-533 Exam Questions, 70-533 PDF, 70-533 VCE Free, 70-533 Book, 70-533 E-Book, 70-533 Study Guide, 70-533 Braindump, 70-533 Prep Guide

Compared Before Buying Microsoft 70-533 PDF & VCE!

Pass4sure	Braindump2go 100% Pass OR Money Back	TestKing
89 Q&As – Practice	112 Q&As – Real Questions	50 Q&As – Practice
\$124.99	\$99.99	\$124.99
No Discount	Coupon Code: BDNT2014	No Discount

QUESTION 81 Hotspot Question You create a virtual network named fabVNet01. You design the virtual network to include two subnets, one named DNS-subnet and one named Apps-subnet, as shown in the exhibit. (Click the Exhibits button.)



In the table below, identify the number of IP addresses that will be available for virtual machines (VMs) or cloud services in each subnet. Make only one selection in each column.

Available IP Addresses	DNS-subnet	Apps-subnet
3	<input type="radio"/>	<input type="radio"/>
27	<input type="radio"/>	<input type="radio"/>
32	<input type="radio"/>	<input type="radio"/>

Answer: 3, 27

Available IP Addresses	DNS-subnet	Apps-subnet
3	<input type="radio"/>	<input checked="" type="radio"/>
27	<input checked="" type="radio"/>	<input type="radio"/>
32	<input type="radio"/>	<input type="radio"/>

Explanation: No not all addresses in a subnet are usable, (The first and last IP addresses of the subnets are reserved for protocol conformance. Additionally they reserve a few extra IP addresses for their services.

<http://msdn.microsoft.com/en-us/library/azure/dn133803.aspx> QUESTION 82 You administer an Azure solution that uses a virtual network named fabVNet. FabVNet has a single subnet named Subnet-1. You discover a high volume of network traffic among four virtual machines (VMs) that are part of Subnet-1. You need to isolate the network traffic among the four VMs. You want to achieve this goal with the least amount of downtime and impact on users. What should you do? A. Create a new subnet in the existing virtual network and move the four VMs to the new subnet. B. Create a site-to-site virtual network and move the four VMs to your datacenter. C. Create a new virtual network and move the VMs to the new network. D. Create an availability set and associate the four VMs with that availability set.

Answer: A Explanation: Machine Isolation Options There are three basic options where machine isolation may be implemented on the Windows Azure platform: * Between machines deployed to a single virtual network Subnets within a Single Virtual Network * Between machines deployed to distinct virtual networks * Between machines deployed to distinct virtual networks where a VPN connection has been established from on-premises with both virtual networks Windows Azure provides routing across subnets within a single virtual network. Incorrect: not B: A site-to-site VPN allows you to create a secure connection between your on- premises site and your virtual network. Use a site-to-site connection when: * You want to create a branch office solution. * You want a connection between your on-premises location and your virtual network that's available without requiring additional client-side configurations.

QUESTION 83 You administer an Azure virtual network named fabrikamVNet. You need to deploy a virtual machine (VM) and ensure that it is a member of the fabrikamVNet virtual network. What should you do? A. Run the New-AzureVM Power Shell cmdlet. B. Run the New-AzureQuickVM Power Shell cmdlet. C. Run the New-AzureAffinityGroup Power Shell cmdlet. D. Update fabrikamVNet's existing Availability Set. Answer: B Explanation: The New-AzureQuickVM cmdlet sets the configuration for a new virtual machine and creates the virtual machine. You can create a new Azure service for the virtual machine by specifying either the Location or AffinityGroup parameters, or deploy the new virtual machine into an existing service.

<http://msdn.microsoft.com/en-us/library/dn495183.aspx> QUESTION 84 Hotspot Question You manage two websites for your company. The sites are hosted on an internal server that is beginning to experience performances issues due to high traffic. You plan to migrate the sites to Azure Web Sites. The sites have the following configurations:

Name	Purpose	Characteristics
Site 1	Public-facing forum for clients and customers to interact with the company	<ul style="list-style-type: none">• D• C• T• O
Site 2	Public-facing portal for users to access their customer records	<ul style="list-style-type: none">• T• C• D

In the table below, identity the web hosting plan with the lowest cost for each site. Make only one selection in each column.

 Answer Area

Web Hosting Plan	Site 1	Site 2
FREE	<input type="radio"/>	<input type="radio"/>
SHARED	<input type="radio"/>	<input type="radio"/>
BASIC	<input type="radio"/>	<input type="radio"/>
STANDARD	<input type="radio"/>	<input type="radio"/>

Answer:

Answer Area

Web Hosting Plan	Site 1	Site 2
FREE	<input type="radio"/>	<input type="radio"/>
SHARED	<input type="radio"/>	<input type="radio"/>
BASIC	<input type="radio"/>	<input checked="" type="radio"/>
STANDARD	<input checked="" type="radio"/>	<input type="radio"/>

Explanation: <http://azure.microsoft.com/en-us/documentation/articles/azure-subscription-service-limits/>

QUESTION 85 You administer an Azure Web Site named contoso. You create a job named Cleanlogs.cmd that will be executed manually, twice a week. You need to deploy the job. To which folder location should you deploy CleanLogs.cmd?

A. . /App_Code/jobs/triggered/cleanLogs/CleanLogs.cmd B. . /App_Data/jobs/triggered/clean Logs/Clean Logs.cmd C. . /App_Code/jobs/continuous/cleanLogs/CleanLogs.cmd D. . /App_Data/jobs/continuous/cleanLogs/CleanLogs.cmd Answer: B Explanation: A WebJob is stored under the following directory in your site:

sitewwwrootApp_Datajobs{job type}{job name}

Where {job type} can be either continuous for a job that is always running or triggered for a job that starts from an external trigger (on demand / scheduler).

<http://blog.amitapple.com/post/74215124623/deploy-azure-> webjobs/#.VDZam_mSx8E QUESTION 86 You manage a cloud service that is running in two small instances. The cloud service hosts a help desk application. The application utilizes a virtual network connection to synchronize data to the company's internal accounting system. You need to reduce the amount of time required for data synchronization. What should you do? A. Configure the servers as large instances and re-deploy. B. Increase the instance count to three. C. Deploy the application to Azure Web Sites. D. Increase the processors allocated to the instances. Answer: A Explanation: When you create your service model, you can specify the size to which to deploy an instance of your role, depending on its resource requirements. The size of the role determines the number of CPU cores, the memory capacity, and the local file system size that is allocated to a running instance. <http://msdn.microsoft.com/en-us/library/azure/dn197896.aspx> QUESTION 87 You manage a

allocated to a running instance. <http://msdn.microsoft.com/en-us/library/azure/dn197896.aspx> QUESTION 87 You manage a cloud service that has a web application named WebRole1. WebRole1 writes error messages to the Windows Event Log. Users report receiving an error page with the following message: "Event 26 has occurred. Contact your system administrator." You need to access the WebRole1 event log. Which three actions should you perform? Each correct answer presents part of the solution. A. Enable verbose monitoring. B. Update the WebRole1 web.config file. C. Update the cloud service definition file and the service configuration file. D. Run the Set-AzureVMDiagnosticsExtension PowerShell cmdlet. E. Run the

Enable-AzureWebsiteApplicationDiagnostic PowerShell cmdlet. F. Create a storage account. Answer: ACF Explanation: AF: You can monitor key performance metrics for your cloud services in the Azure Management Portal. You can set the level of monitoring to minimal and verbose for each service role, and can customize the monitoring displays. Verbose monitoring data is stored in a storage account, which you can access outside the portal. C: * The service configuration file specifies the number of role instances to deploy for each role in the service, the values of any configuration settings, and the thumbprints for any certificates associated with a role. If the service is part of a Virtual Network, configuration information for the network must be provided in the service configuration file, as well as in the virtual networking configuration file. The default extension for the service configuration file is .cscfg. * The service definition file defines the service model for an application. The file contains the definitions for the roles that are available to a cloud service, specifies the service endpoints, and establishes configuration settings for the service. <http://azure.microsoft.com/en-us/documentation/articles/cloud-services-how-to-monitor/> <http://msdn.microsoft.com/en-us/library/azure/ee758710.aspx> <http://msdn.microsoft.com/en-us/library/azure/ee758711.aspx>

QUESTION 88 Drag and Drop Question You manage an application hosted on cloud services. The development team creates a new version of the application. The updated application has been packaged and stored in an Azure Storage account. You have the following requirements:

- Deploy the latest version of the application to production with the least amount of downtime.
-

Ensure that the updated application can be tested prior to deploying to the Production site, - Ensure that the original version of the application can be restored until the new version is verified. Which four steps should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Action
Deploy the new package to the Staging slot.
Create a new cloud service.
Provide the URL to the development team.
Deallocate the Staging deployment.
Deploy the new package to the Production slot.
Perform VIP Swap.

Answer:

Action	Answer Area
Deploy the new package to the Staging slot.	Create a new cloud service.
Create a new cloud service.	Provide the URL to the development team.
Provide the URL to the development team.	Deploy the new package to the Staging slot.
Deallocate the Staging deployment.	Perform VIP Swap.
Deploy the new package to the Production slot.	
Perform VIP Swap.	

QUESTION 89 You manage a cloud service that utilizes data encryption. You need to ensure that the certificate used to encrypt data can be accessed by the cloud service application. What should you do? A. Upload the certificate referenced in the application package. B. Deploy the certificate as part of the application package. C. Upload the certificate's public key referenced in the application package. D. Use RDP to install the certificate. Answer: C Explanation: The developer must deploy the public key with their application so that, when Windows Azure spins up role instances, it will match up the thumbprint in the service definition with the uploaded service certificate and deploy the private key to the role instance. The private key is intentionally non-exportable to the .pfx format, so you won't be able to grab the private key through an RDC connection into a role instance. QUESTION 90 You administer a Windows Server virtual machine (VM). You upload the VM to Azure. You need to ensure that you are able to deploy the BGInfo and VMAccess extensions. What should you do? A. Select the Install the VM Agent checkbox while provisioning a VM based on your uploaded VHD. B. Select the Enable the VM Extensions checkbox while provisioning a VM based on your uploaded VHD. C. Install the VM Agent MSI and execute the following Power Shell commands: \$vm = Get-AzureVM -serviceName \$svc -Name \$name \$vm.VM.ProvisionGuestAgent = \$true Update-AzureVM -Name \$name -VM \$vm.VM -ServiceName \$svc D. Install the VM Agent MSI and execute the following Power Shell commands: \$vm = Get-AzureVM -serviceName \$svc -Name \$name Set-AzureVMBGInfoExtension -VM \$vm.VM Set-AzureVM Access Extension -VM \$vm.VM Update-AzureVM -Name \$name -VM \$vm.VM -ServiceName \$svc Answer: C Explanation: The VM Agent can be enabled by manually downloading and installing the VM Agent (either the Windows or Linux version) on an existing VM instance and then setting the ProvisionGuestAgent value to true using Powershell or a REST call. (If you do not set this value after manually installing the VM Agent, the addition of the VM Agent is not detected properly.) The following code example shows how to do this using PowerShell where the \$svc and \$name arguments have already been determined. \$vm = Get-AzureVM -serviceName \$svc -Name \$name \$vm.VM.ProvisionGuestAgent = \$TRUE Update-AzureVM -Name \$name -VM \$vm.VM -ServiceName \$svc Braindump2go Guarantee: Pass-Certification 70-533 offers absolute risk free investment opportunity, values your timr and money! Braindump2go latest 70-533 Real Exam Dumps - Your success in 70-533 Exam is certain! Your belief in our 70-533 Exam Dumps is further strengthened with 100% Money Back Promise from Braindump2go!

Compared Before Buying Microsoft 70-533 PDF & VCE!		
Pass4sure	Braindump2go 100% Pass OR Money Back	TestKing
89 Q&As – Practice	112 Q&As – Real Questions	50 Q&As – Practice
\$124.99	\$99.99	\$124.99
No Discount	Coupon Code: BDNT2014	No Discount

<http://www.braindump2go.com/70-533.html>